

Refine Search

Search Results -

Terms	Documents
(scann\$3 near2 text) with (font or style) same character	15

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L8

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, January 13, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L1</u>	((font near1 library) or (style near1 library)) with (match\$3 or compar\$6) with character	1	<u>L1</u>
<u>L2</u>	((font near1 library) or (style near1 library)) same template same (match\$3 or compar\$6) same character	1	<u>L2</u>
<u>L3</u>	(font or style) with template with (match\$3 or compar\$6) with character	26	<u>L3</u>
<u>L4</u>	L3 same scan\$5	4	<u>L4</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<u>L5</u>	scanned text same style	2	<u>L5</u>
<u>L6</u>	l5 and (sav\$3 near10 scanned near10 style characteristic)	1	<u>L6</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L7</u>	scanned same ((font or style) near10 (text or data) near10 characteristic) same template same character	0	<u>L7</u>
<u>L8</u>	(scann\$3 near2 text) with (font or style) same character	15	<u>L8</u>

Refine Search

Search Results -

Terms	Documents
scanned data same style same template	3

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L11

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, January 13, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT,EPAB,JPAB; PLUR=YES; OP=ADJ</i>			
<u>L1</u>	scan\$4 with (style or font) with characteristic	25	<u>L1</u>
<u>L2</u>	L1 same (library or dictionary or template)	2	<u>L2</u>
<u>L3</u>	character same recogn\$6 same scan\$4 same (compar\$6 or match\$3) same (template near4 (style or font))	5	<u>L3</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L4</u>	font with high confidence	6	<u>L4</u>
<u>L5</u>	font library	88	<u>L5</u>
<u>L6</u>	L5 same template	2	<u>L6</u>
<u>L7</u>	(scan\$4 near5 (character or text)) same ((compar\$6 or match\$3) near3 character near4 (style or font)) same template	3	<u>L7</u>
<u>L8</u>	4499499.pn.	1	<u>L8</u>
<u>L9</u>	((font or shape or roman or courier or bold or style) near2 template) same character same scan\$5	15	<u>L9</u>

L10 L9 same (compar\$6 or collat\$3 or verif\$9 or authenticat\$4 or match\$3)
DB=PGPB; PLUR=YES; OP=ADJ
L11 scanned data same style same template

12 L10
3 L11

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L19 same scan\$5	2

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L20

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, January 13, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L1</u>	(scan\$4 near1 (text or data or sentence)) near5 (stor\$3 or sav\$3) near6 (font or style or times new roman or arial or italic or bold or courier)	2	<u>L1</u>
<u>L2</u>	(sav\$3 or record\$3 or saved or saving) with (scan\$4 near2 (characters or data or text)) with (font or style or times new roman or courier or arial)	1	<u>L2</u>
<u>L3</u>	(sav\$3 or record\$3 or saved or saving) with (scan\$4 near2 (characters or data or text)) with (font or style or times new roman or courier or arial)	1	<u>L3</u>
<u>L4</u>	((arial or courier or times new roman or font or style) near1 template)	121	<u>L4</u>
<u>L5</u>	L4 same (scan\$5 near2 (text or data or document or page))	2	<u>L5</u>
<u>L6</u>	L4 and (character near3 recogn\$6)	18	<u>L6</u>
<u>L7</u>	L6 and (scan\$5 near2 (text or data or document or page))	14	<u>L7</u>
<u>L8</u>	format\$3 same text	16137	<u>L8</u>
<u>L9</u>	L8 same (font or style)	1336	<u>L9</u>
<u>L10</u>	L9 same (correct or verif\$7)	41	<u>L10</u>

<u>L11</u>	L10 same template	2	<u>L11</u>
<u>L12</u>	((format\$3 near5 text) same ((font or style or courier or times new roman or arial) near3 template)	2	<u>L12</u>
<u>L13</u>	((font or style) near2 library) same character same (compar\$6 or match\$3)	6	<u>L13</u>
<u>L14</u>	((font or style) near2 (library or storage or database or dictionary)) same ((compar\$6 or match\$3) near5 character) same scan\$4	6	<u>L14</u>
<u>L15</u>	re32201.pn.	1	<u>L15</u>
<u>L16</u>	L15 and compar\$6	1	<u>L16</u>
<u>L17</u>	L16 and font storage	1	<u>L17</u>
<u>L18</u>	L16 and (font near2 stor\$3)	1	<u>L18</u>
<u>L19</u>	((style or font) near2 (library or databse or storage)) with (compar\$6 or match\$3) with character	19	<u>L19</u>
<u>L20</u>	L19 same scan\$5	2	<u>L20</u>

END OF SEARCH HISTORY